## **490 YAGI ANTENNAS SERIES**

## **490 Heavy-duty Yagi Antennas Series**

The 490 Heavy-duty Yagi Series is an extremely rugged, 7 elements configuration antenna. All our antennas can be completely customized to your particular applications. Our antennas can be black anodized, vertically or horizontally polarized.

- Each antenna has an extremely rugged design to withstand harsh environmental conditions.
- The mounting hardware supplied will permit either vertical or horizontal polarization.
- The 490 Series Yagi antennas are fully welded.
- DC ground for lightning protection.

Electrical Specifications	490-70
Frequency Range, MHz	806-960
Nominal Gain, dBd	10.0
Number of Elements	7
Bandwidth: 1.5:1 VSWR, MHz	85
Polarization	Vert. or Horiz.
Horizontal Beamwidth (Horizontal Pol.)	56°
Vertical Beamwidth (Horizontal Pol.)	420
Front to Back, dB	20
Pattern	Directional
Power Rating, Watts	200
Nominal Impedance, Ohms	50
Standard Termination	Type N Male
Mechanical Specifications	490-70
Length, in (mm)	27 (686)
Width, in (mm)	8 (203)
Weight, lbs. (kg)	2.5 (1.1)
Rated Wind Velocity, No Ice, mph (km/h)	150 (241)
Rated Wind Velocity, 0.5" (13mm) ice, mph (km/h)	150 (241)
Lateral Thrust @ 100 mph, wind, lbs. (kg)	38 (17)
Bending Moment @ top clamp: 100 mph, ft.*lb (kg*m)	13 (1.8)
Projected Area, ft² (m²)	0.4 (0.04)
Mounting Hardware Included	127-85

<sup>\*</sup> See next page for ordering information of different frequency splits (page 3) \*




*Tel:* US 1.877.825.2007 / CAN 1.800.603.1454


490-70



Horizontal Polarization



vertical rattern





*Tel:* US 1.877.825.2007 / CAN 1.800.603.1454



## **490 YAGI ANTENNAS SERIES**

806-960 MHz

Order Information	806-869MHz	824-896MHz	896-960MHz	Black Anodized	(2) Stacked
490-70	490-70*1	490-70*2	490-70*3	490-70-B	491-70

